



RHINO METALSTM
BEST IN GUN SAFES AND VAULT DOORS

2022
PRODUCT CATALOG



WELCOME

In 2022 we will celebrate our 27th anniversary. What started out as a small veteran-owned welding job shop has grown into the leading safe manufacturer in the country. Our success reflects the unmatched opportunity and liberty afforded to Americans under the US Constitution, the incredible dedication of everyone at Team Rhino, and most of all, the trust and loyalty of our customers. We would be nothing without our customers.

We look forward to taking care of you, our customers, and continuing to make the best products we can.

Protecting and Securing America

Team Rhino

CONTENTS

- 3 Welcome
- 5 Rhino Metals Story
- 7 Swing Out Gun Rack
- 9 Ironworks Thunderbolt Safe Series
- 11 Rhino Thunderbolt Safe Series
- 13 Ironworks AIW Safe Series
- 15 Rhino Strongbox Safe Series
- 17 Rhino A Safe Series
- 19 Rhino CD Safe Series
- 21 Rhino RB Safe Series
- 23 Ironworks Vault Door Series
- 25 Rhino Vault Door Series
- 27 Kodiak Strongbox Safe Series
- 29 Kodiak KB Safe Series
- 31 Kodiak Ultimate Access
- 33 Kodiak KB Safe Series
- 35 Longhorn Series
- 37 Cabinet Series
- 39 Tool Storage





THE RHINO METALS STORY

★★★ HANDCRAFTED ★ BUILT TO LAST ★★★

COMMITMENT TO EXCELLENCE...DISCIPLINE

For American fighter pilots, these are more than just words; they are the code to live by. It's this culture of excellence that makes our fighter pilots the best in the world at protecting us against evil. And in this world we live in, there is no end to the evil that seeks to threaten our lives, liberty and property. One seasoned fighter pilot took this ethos of excellence, instilled through years of flying fighters, and applied it to the business world, to develop superior security products for Americans.

VISIT OUR YOUTUBE PAGE AT: RHINO METALS - TO WATCH OUR STORY



Part art, part furniture, and all security, Rhino Metals safes are built to protect you and your family from the uncertainties and evils of this world, and offer more convenience than any other brand.

Rhino Metals products stand as proof of total commitment to excellence in one's craft. They are art, revealed in American craftsmanship. . . the same kind of craftsmanship that built this country.

Rhino Metals stands apart from the competition, with safes and other products that are a cut above in both form and function. And like the fighter pilots protecting this great country, we are here for you, securing America, one safe at a time.

Rhino Metals. . . everything else is just storage.

SECURITY & FIRE PROTECTION CATEGORY

1

Ironworks IWSC52116
Kodiak K3C552116
Kodiak KAD552116

2

Kodiak KB5520ECS
Kodiak KB5520ECS
Kodiak KB19ECX
Longhorn L5B1014

3

Rhino RB6028ECS
Rhino RB6036ECS
Kodiak KB5933ECX
Kodiak KB5940ECX
Longhorn LNS2618
Longhorn L5B1818
Longhorn L5B2418

4

Kodiak Strongbox
Kodiak KBF5940EXSD
Kodiak KB7144EX
Kodiak KB5950EXS

5

Rhino Strongbox
Rhino CD

6

7

Ironworks AIW
Rhino A

8

Ironworks Thunderbolt
Rhino Thunderbolt

INCREASING PROTECTION →



180° Door Opening

MORE SECURITY

Long travel, large diameter locking bolts provide up to 40% more locking engagement than typical gun safes. Anti-pry guides in the doors of our full size gun safes further increase pry protection. Thicker bodies, doors and fire lining provide superior security and fire protection. In some cases, up to 50% thicker than typical gun safes.

MORE FIRE PROTECTION

Internal hinge designs used by other brands are typically welded to the inside of the safe wall and do not provide full coverage fire protection. Rhino's external hinge design provides complete coverage and improved fire protection.



BEST WARRANTY IN THE BUSINESS

When you buy a Rhino product it's backed by the best warranties and warranty support in the industry.




MORE CONVENIENCE


With the swing out gun rack, you'll be able to store more and get to your guns faster and with less damage. No more digging through your guns to get to the one you want.

MORE ACCESS


External hinges give you a full 180 degrees of door opening and complete fire lining around the door frame.




Rhino Door Construction



Competitor's Door Construction



Rhino External Hinge



Competitor Internal Hinge

MORE STYLE

Rhino Ironworks. . . Art, revealed in American craftsmanship. Check out all our Ironworks furniture, tool chests, and safes at rhinosafe.com!



★★★ PROTECTING & SECURING AMERICA ★★★

Friendly trained professionals are ready for your call. / 208-454-5545 / rhinosafe.com



Floor Storage Area Under Rack
Unlike Other Rack Systems



Long Guns Can Be Stored Barrel Up or Down
to Fit More Scoped Weapons



Flexible Cushioned Butt and Barrel Rests
Help Protect From Damage



UNEQUALED STORAGE & FAST ACCESS

★ GET FASTER ACCESS TO MORE WEAPONS WITH RHINO'S PATENTED SWING OUT GUN RACK SYSTEM ★

Rhino's exclusive **patented** Swing Out Gun Rack System (U.S. patent number 9,140,049) is available in two sizes and is available on most models. With it, you will store more guns and more scoped/tactical guns, and have fastest access to all of them. Store guns on the rack in any orientation you need to better fit together (muzzle up or muzzle down, trigger in or trigger out.) Almost every slot on the rack can be filled with a scoped long gun. Simply swing the rack out to have instant access to any weapon along the back or side wall.

Long gun capacity, scoped gun capacity, and easy access to your guns are usually trade-offs. If you want a lot of one, you typically have to sacrifice the other two. With Rhino's exclusive patented Swing Out Gun Rack and Rifle Rods Storage System, this problem is eliminated and you can have it all.

- Store more scoped guns
- No more digging through your rifles to get to the one you want
- Full access to your door organizer, unlike door mounted gun racks
- 2-3 times more fast access guns than conventional safes
- 2-3 times more fast access guns than safes with door mounted gun racks
- Store up to 4 times more scoped and tactical long guns

The most space-efficient way to store your firearms

Storing and accessing your firearms has never been this easy and convenient.

6 GUN SWING OUT RACK
APPROVED FOR THE FOLLOWING PRODUCTS:

RHINO GUN SAFES
CIWD/CD6030X
AIW/AB033X
RSB6030EX
RSB6636EX
CB6636EX

KODIAK GUN SAFES
KB19EX

13 GUN SWING OUT RACK
APPROVED FOR THE FOLLOWING PRODUCTS:

RHINO GUN SAFES
CIWD/CD6040X
CIWD/CD7242X
CIWD/CD7256X
AIW/AB042X
AIW/AB7242X
AIW/AB7256X
RW6042X/XP
RW7242X/XP
IWT/RT6042X
IWT/RT7242X
RSB6040EX, RSB7242EX, RSB7256EX

KODIAK GUN SAFES
KB5940EX
KB5950EX
KB5940EX
KB7144EX
KB7144EX

CONVENIENCE COMPARISON	COMPETITOR'S CONVENTIONAL SAFE	COMPETITOR'S DOOR MOUNTED GUN RACK SYSTEM	RHINO'S SWING OUT RACK WITH GUN RODS
FAST ACCESS TO ALL AREAS OF DOOR ORGANIZER	YES	NO	YES
FLOOR STORAGE AREA	NO	NO	YES
FAST ACCESS TO ALL GUNS IN BAY	NO	NO	YES
BEST WITH AR/OPTICS/SCOPED RIFLES	NO	NO	YES

ACTUAL* CAPACITY COMPARISON 34-35 CUBIC FOOT SAFE	CONVENTIONAL GUN SAFE, WITH OR WITHOUT DOOR MOUNTED GUN RACK SYSTEMS	RHINO'S SWING OUT RACK WITH GUN RODS	INCREASE
TOTAL GUN CAPACITY	34-36	47	34%
FAST ACCESS GUNS	6-9	22	366%
FAST ACCESS AR/OPTICS/SCOPED RIFLES	4-6	16	400%

*Based on a typical mix of scoped, non-scoped, tactical/AR style guns



IRONWORKS THUNDERBOLT SERIES

★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★ PATENTED IRONWORKS DESIGN ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR			
IWT6033X	1125 lbs	36	N/A	60 x 33 x 27	30.9	14
IWT6042X	1327 lbs	54	up to 30% more than regular interior	60 x 42 x 27	39.4	14
IWT7242X	1526 lbs	54		72 x 42 x 27	47.3	16

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)
Executive Shelving Kit
U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up


FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 170 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet & LED Lighting (Electric Dehumidifier Included)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes IWT6033X)
- Unique Antiqued Finish



Model IWT6033X





RHINO THUNDERBOLT SERIES

★ CUSTOM OPTIONS ★ 7 GA AND 1/4" STEEL CONSTRUCTION ★ TRIPLE INSET DOOR ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR			
RT6033X	1098 lbs	36	N/A	60 x 33 x 27	30.9	14
RT6042X	1295 lbs	54	up to 30% more than regular interior	60 x 42 x 27	39.4	14
RT7242X	1490 lbs	54		72 x 42 x 27	47.3	16

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)
Executive Shelving Kit
U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up
Two-Tone Gloss (Excludes Black and Pearl White)

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 160 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 7 Gauge Steel Body
- 5.75" Thick Formed Door with Full Coverage .25" Solid Plate Steel Front
- Patented Anti-tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet & LED Lighting (Electric Dehumidifier Included)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes RT6033X)
- Decorative Finials Included with Gloss Finishes



Model RT6042X in Textured Granite Finish

AVAILABLE COLORS



TEXTURED EXTERIOR



GLOSS EXTERIOR



TRIM





MADE IN USA
WITH GLOBAL COMPONENTS



★ 10 GA AND 1/4" STEEL CONSTRUCTION ★ HANDCRAFTED FINISH ★ PATENTED IRONWORKS DESIGN ★

IRONWORKS AIW SERIES

LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
AIW6033X	960 lbs	36	up to 30% more than REGULAR INTERIOR	60 x 33 x 27	30.9	14
AIW6042X	1120 lbs	54		60 x 42 x 27	39.4	14
AIW7242X	1300 lbs	54		72 x 42 x 27	47.3	16
AIW7256X	1615 lbs	68		72 x 56 x 27	63.0	16

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)
Executive Shelving Kit
U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 130 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- 5.9" Thick Formed Door with Full Coverage .25" Solid Steel Plate Front
- Patented Anti-tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet & LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack
- Unique Antiqued Finish



Model AIW6042X

Upgrade Shown: Swing Out Gun Rack (Includes Rifle Rods)



130
MINUTE
FIRE RATING

**SECURITY
& FIRE
CATEGORY
7**



Model RS87242EX



RHINO STRONGBOX SERIES

★ 12 GA STEEL CONSTRUCTION ★ HANDCRAFTED FINISH ★ IRONWORKS STYLING ★

FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 80 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.5" Thick Formed Door
- Patented Anti-tamper Clutched Handle
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets (excludes RSB3020E)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes RSB3020E)
- Unique Antiqued Finish

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
RSB3020E	250 lbs	N/A	N/A	30 x 20 x 20	7.64	1"	4
RSB6030EX	640 lbs	35	up to	60 x 30 x 25	26.0	1"	13
RSB6040EX	770 lbs	50	30%	60 x 40 x 25	34.4	1.25"	13
RSB6636EX	875 lbs	44	more than	66 x 36 x 25	34.7	1.25"	13
RSB7242EX	930 lbs	52	REGULAR INTERIOR	72 x 42 x 27	47.3	1.25"	16
RSB7256EX	1220 lbs	76		72 x 56 x 27	63.0	1.25"	18

Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Lock with Keypad Back-up





RHINO A SERIES

★ CUSTOM OPTIONS ★ 10 GA AND 1/4" STEEL CONSTRUCTION ★



120
MINUTE
FIRE RATING

**SECURITY
& FIRE
CATEGORY
7**



MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR			
A6033X	950 lbs	36	up to	60 x 33 x 27	30.9	14
A6042X	1100 lbs	54	30%	60 x 42 x 27	39.4	14
A7242X	1270 lbs	54	more than	72 x 42 x 27	47.3	16
A7256X	1580 lbs	68	REGULAR INTERIOR	72 x 56 x 27	63.0	16

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)
Executive Shelving Kit
U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up
Two-Tone Gloss (Excludes Black and Pearl White)

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for **120 Minutes** at **1400°F**
- **Ball Bearing Drill Plate** and **Spring Loaded Relocker** Protects the Lock
- **10 Gauge Steel** Body
- **5.75" Thick** Formed Door with Full Coverage .25" Solid Plate Steel Front
- **Patented Anti-tamper** Clutched Handle
- **1.25" Diameter** Doorbolts
- **Anti-pry** Doorbolt Guides
- Internal **Electrical / USB Outlet & LED Lighting**
- **Deluxe Door Organizer** with Handgun Holders & Pockets
- External Hinges Allow **180° Door Opening** for Better Access
- **Full Coverage Fire Lining** in Door Frame Unlike Internal Hinge Designs
- **Limited Lifetime Warranty** (Details in Owner's Manual)
- **Free Repair or Replacement** After Burglary or Fire
- **Pre-drilled** for Compatible **Swing Out Gun Rack**
- Decorative **Finials** included with Gloss Finishes



Model A6033XGL in Gloss Bronze Finish
Upgrade Shown: U.L. Listed Electronic Lock


AVAILABLE COLORS

INTERIOR



HEATHER LEATHERETTE

TEXTURED EXTERIOR



CHERRYSTONE GRANITE BLACKSTONE

GLOSS EXTERIOR



BLACK PEARL WHITE TITANIUM
BLUE CRIMSON BRONZE

TRIM



BRASS CHROME
BLACK BLACK CHROME



FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 80 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.5" Thick Formed Door
- Patented Anti-tamper Clutched Handle
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes CD3022)
- Decorative Finials included with Gloss Finishes



RHINO CD SERIES

★ CUSTOM OPTIONS ★ 12 GA STEEL CONSTRUCTION ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR			
CD3022	240 lbs	N/A	N/A	30 x 22 x 20	7.64	4
CD6030X	630 lbs	35	N/A	60 x 30 x 25	26.0	13
CD6040X	780 lbs	54	up to 30% more than REGULAR INTERIOR	60 x 40 x 25	34.7	13
CD6636X	865 lbs	44		66 x 36 x 25	34.1	13
CD7242X	950 lbs	54		72 x 42 x 27	47.3	16
CD7256X	1210 lbs	76		72 x 56 x 27	63.0	18

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)
 Factory Installed LED Lighting
 Executive Shelving Kit
 U.L. Listed Electronic Lock
 U.L. Listed Biometric Lock with Keypad Back-up
 Two-Tone Gloss (Excludes Black and Pearl White)




Model CD6030XGL in Gloss Blue Finish
 Upgrade Shown: U.L. Listed Electronic Lock

AVAILABLE COLORS

INTERIOR



TEXTURED EXTERIOR



GLOSS EXTERIOR



TRIM





RHINO METALS™

RHINO RB SERIES

★ SOLID SECURITY ★ 14 GA STEEL CONSTRUCTION ★ BASIC FIRE PROTECTION ★ MOST AFFORDABLE US MADE SAFE ★

FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection for 40 Minutes at 1400°F
- Hardened Armor Plate and Spring Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Patented Anti-ramp Clutched Handle
- Anti-pry Doorbolt Guides
- Two Adjustable Right Side Shelves
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Pre-drilled for Electric Dehumidifier
- Pre-drilled to Bolt to Floor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Tough Powder-coat Finish in Textured Black

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
RB6028ECS	365 lbs	24	60 x 28 x 20	19.4	1"	8
RB6036ECS	485 lbs	44	60 x 36 x 22	27.5	1"	8

Available Upgrade: U.L. Listed Manual Lock with Day-Lock



MADE IN USA
WITH GLOBAL COMPONENTS



Model RB6028ECS

40
MINUTE
FIRE RATING

**SECURITY
& FIRE
CATEGORY
3**



Model IWVD8030 Out-Swing
Standard Hinge Shown. Available in Reverse



Model IWVD8240 In-Swing
Standard Hinge Shown. Available in Reverse
Upgrade Shown: U.L. Listed Electronic Lock



IRONWORKS VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Dual Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release and Panic Room Lock-in Mechanism
- Standard and Reverse Opening Capabilities
- Clamshell Design Simplifies Installation and is Designed to Fit A Variety of Wall Types, 8" Thick (See rhinosafe.com for details)
- Industrial Cast Hand Wheel and Unique Antiqued Finish to Complement any Decor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary of Fire

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Rating at 1400° (fire ratings can vary based on installation & room construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing Can be Installed Using Expansion Anchors or Lag Bolts (not included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Rating at 1400° (fire ratings can vary based on installation & room construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

Out-Swing Sizes

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation) (H" x W")	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation) (H" x W")	DOORBOLTS
IWVD8030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
IWVD8035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	16
IWVD8040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
IWVD8045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

In-Swing Sizes

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
IWVD8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up
Installation Instructions Available at rhinosafe.com



Model V08045GL
Back of Door Shown

AVAILABLE COLORS

TEXTURED EXTERIOR



CHERRYSTONE GRANITE BLACKSTONE

GLOSS EXTERIOR



BLACK PEARL WHITE TITANIUM
BLUE CRIMSON BRONZE

TRIM



BRASS CHROME
BLACK BLACK CHROME



Model V08045GL Out-Swing in Gloss Crimson Finish
Standard Hinge Shown. Available in Reverse
Upgrades Shown: Black Chrome, Two-Tone Gloss



RHINO VAULT DOOR SERIES

★ AMERICAN MADE ★ HANDCRAFTED ★ BUILT TO LAST ★

FEATURES

- U.L. Listed Manual Lock with Day-Lock
- Fire Resistant Design with Intumescent Expanding Fire Seal
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- Tempered Glass Relocker with Remote Spring Loaded Relocker Deadbolts the System
- 1.25" Diameter Doorbolts, 3-Sided Protection
- Internal Release and Panic Room Lock-In Mechanism
- Standard and Reverse Opening Capabilities
- Clamshell Design Simplifies Installation and is Designed to Fit A Variety of Wall Types, 8" Thick (See rhinosafe.com for details)
- Decorative Finials included with Gloss Finish
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire

ADDITIONAL DESIGN SPECIFICATION FOR OUT-SWING ONLY

- 120 Minute Fire Rating at 1400° (fire ratings can vary based on installation & room construction)
- 5.39" Thick Door with Full Coverage .25" Steel Face
- .25" Thick Steel Outer Door Frame
- For Additional Security, the Out-Swing Can be Installed Using Expansion Anchors or Lag Bolts (not included)

ADDITIONAL DESIGN SPECIFICATION FOR IN-SWING ONLY

- 90 Minute Fire Rating at 1400° (fire ratings can vary based on installation & room construction)
- 5.79" Thick Door with Full Coverage .25" Steel Core
- 10 Gauge Thick Steel Outer Door Frame
- 12 Gauge Formed Steel Construction

Out-Swing Sizes

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (Clamshell Installation)	MAXIMUM ROUGH DOOR OPENING (Concrete Anchor Installation)	DOORBOLTS
			(H" x W")	(H" x W")	
V08030	900 lbs	80.25 x 30.5	83 x 36	81 x 31.25	16
V08035	1030 lbs	80.25 x 35.5	83 x 41	81 x 36.25	16
V08040	1100 lbs	80.25 x 40.5	83 x 46	81 x 41.25	17
V08045	1180 lbs	80.25 x 45.5	83 x 51	81 x 46.25	17

In-Swing Sizes

MODEL	WEIGHT (approx.)	MINIMUM ROUGH DOOR OPENING (H" x W")	MAXIMUM ROUGH DOOR OPENING (H" x W")	DOORBOLTS
		(H" x W")	(H" x W")	
V8240	755 lbs	82.75 x 39.5	83 x 41	21

Available Upgrades: U.L. Listed Electronic Lock
U.L. Listed Biometric Lock with Keypad Back-up
Installation Instructions Available at rhinosafe.com
Two-Tone Gloss (Excludes Black and Pearl White)



KODIAK STRONGBOX SERIES

★ UNRIVALLED FAST ACCESS (Factory Installed Patented Swing Out Rack) ★
★ 12 GA STEEL CONSTRUCTION ★ IRONWORKS STYLING ★

FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 60 Minutes at 1400°F
- Factory Installed **Swing Out Gun Rack** (excludes KSB3020E)
- **Triple Hardplate & Spring Loaded Relocker** Protects the Lock
- 12 Gauge Steel Construction
- 5.125" Thick Formed Door
- Patented **Anti-tamper Clutched Handle** (excludes KSB3020E)
- Internal **Electrical / USB Outlet** (excludes KSB3020E)
- **Deluxe Door Organizer** with Handgun Holders & Pockets (excludes KSB3020E)
- External Hinges Allow **180° Door Opening** for Better Access
- **Full Coverage Fire Lining** in Door Frame Unlike Internal Hinge Designs
- **Limited Lifetime Warranty** (Details in Owner's Manual)
- **Free Repair or Replacement** After Burglary or Fire
- Unique **Antiqued Finish**

60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	SWING OUT RACK CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KSB3020E	215 lbs	N/A	N/A	30 x 20 x 20	6.9	1"	6
KSB5928EXSD	485 lbs	20	6	59 x 28 x 20	19.1	1"	8
KSB5940EXSD	720 lbs	38	13	59 x 40 x 23	31.4	1.25"	11
KSB7136EXSD	778 lbs	36	13	71 x 36 x 24	35.5	1.5"	13

Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Lock with Keypad Back-up



Model KSB5940EXSD



Model KB19ECX



RHINO METALS

KODIAK KB SERIES

★ SOLID SECURITY ★ 14 GA STEEL CONSTRUCTION ★ BASIC FIRE PROTECTION ★

FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate and Spring Loaded Relocker Protects the Lock
- Patented Anti-tamper Clutched Handle
- 14 Gauge Steel Construction
- Internal Electrical / USB Outlet (excludes KB5520ECS / KB5529ECS / KB19ECX)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes KB5520ECS / KB5529ECS / KB5933ECX)
- Textured Black Finish

SECURITY & FIRE CATEGORY 2

30 MINUTE / 1400° FIRE PROTECTION

LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KB5520ECS	258 lbs	18	N/A	55 x 20 x 20	12.7	1"	6
KB5529ECS	340 lbs	30	N/A	55 x 29 x 20	18.5	1"	5
KB19ECX	350 lbs	30	up to 30% more than REGULAR INTERIOR	59 x 28 x 20	19.1	1"	8

SECURITY & FIRE CATEGORY 3

40 MINUTE / 1400° FIRE PROTECTION

LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KB5933ECX	420 lbs	32	up to 30% more than REGULAR INTERIOR	59 x 33 x 20	22.5	1"	8
KB5940ECX	573 lbs	52		59 x 40 x 23	31.4	1.25"	9



KODIAK ULTIMATE ACCESS

★ UNRIVALLED FAST ACCESS (Factory Installed Patented Swing Out Rack) ★

★ 12 GA STEEL CONSTRUCTION ★

FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 60 Minutes at 1400°F
- Factory Installed **Swing Out Gun Rack**
- **Triple Hardplate** and **Spring Loaded Relocker** Protects the Lock
- 12 Gauge Steel Construction
- 5.125" Thick Formed Door
- **Patented Anti-tamper** Clutched Handle
- Internal **Electrical / USB Outlet**
- **Deluxe Door Organizer** with Handgun Holders & Pockets
- External Hinges Allow **180° Door Opening** for Better Access
- **Full Coverage Fire Lining** in Door Frame Unlike Internal Hinge Designs
- **Limited Lifetime Warranty** (Details in Owner's Manual)
- **Free Repair or Replacement** After Burglary or Fire
- Textured **Black Finish** with Distressed Flag

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	SWING OUT RACK CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KBF5940EXS0	720 lbs	38	13	59 x 40 x 23	31.4	1.25"	11

Available Upgrades: U.L. Listed Manual Lock with Day-Lock
U.L. Listed Biometric Lock with Keypad Back-up

SECURITY
& FIRE
CATEGORY
4

CEILING
FIREBOARD
LAYERS

60
MINUTE
FIRE RATING

Model KBF5940EXS0



Model KB5950EXS



RHINO METALS

KODIAK KB SERIES

★ LARGE CAPACITY ★ 12 GA STEEL CONSTRUCTION ★ SOLID FIRE & SECURITY ★

SECURITY
& FIRE
CATEGORY
4

FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.125" Thick Formed Door
- Patented Anti-ramp Clutched Handle
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack
- Textured Black Finish

60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
KB7144EX	860 lbs	58	up to 30% more than REGULAR INTERIOR	71 x 44 x 26	47.0	1.5"	14

75 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
KB5950EXS	900 lbs	80	up to 30% more than REGULAR INTERIOR	59 x 50 x 27	46.1	1.25"	13

Available Upgrades: U.L. Listed Manual Lock with Day-lock
U.L. Listed Biometric Lock with Keypad Back-up



RHINO METALS™

LONGHORN SERIES

SECURITY
& FIRE
CATEGORY
2



Model LSB1014

SECURITY
& FIRE
CATEGORY
3



Model LSB1818

SECURITY
& FIRE
CATEGORY
3



Model LSB2418

FEATURES

- CA DOJ Firearm Safety Device
- 1400°F Fire Protection
- Anti-Punch and Anti-Drill Boltworks (excludes LSB1014)
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-tamper Clutched Handle (excludes LSB1014)
- 1" Diameter Doorbolts
- Adjustable Shelf (excludes LSB1014)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Warranty (Details in Owner's Manual)
- Unique Antiqued Finish

SECURITY
& FIRE
CATEGORY
3



Model LNS2618
Nightstand / End Table Safe

- Fast access to your firearm
- Power Strip/USB on back for lamps & laptops
- Upper Drawer
- Lower Safe with Shelf and Pistol Pocket

FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection for 40 Minutes at 1400°F
- 1.05 cu ft. Interior Capacity
- Internal Safe Dimension 15.4"H x 15.5"W x 7.5"D
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-Punch and Anti-Drill Boltworks
- 1" Diameter Doorbolts (4 Total)
- Adjustable Shelf
- Handgun Holder on Doorback
- Fully Upholstered Interior
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- 150 lbs
- Overall Dimensions 26"H x 20"W x 18"D
- Drawer Dimensions 5"H x 13"W x 13"D
- External Electrical / USB Outlet (on the back)
- Easy Glide Heavy Duty Drawer with Full Extension Ball Bearing Glides
- Fully Assembled
- Limited Warranty (Details in Owner's Manual)



MODEL	WEIGHT (approx.)	FIRE RATING	LOCK STYLE	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
LSB1014	30 lbs	30 min	High-Security Keyed Lock	10 x 14 x 10	0.81	3
LSB1818	90 lbs	60 min	U.L. Listed Electronic Lock	18 x 18 x 14	2.63	4
LSB2418	130 lbs	60 min	U.L. Listed Electronic Lock	24 x 18 x 16	4.0	4



Model IWSC5521



Model KSC552116



Model KAC552116
Includes 4 Adjustable Steel Shelves



RHINO METALS™

★ BASIC SECURITY ★ COMPACT & LIGHTWEIGHT ★ PERFECT FOR CLOSETS OR APARTMENTS ★

CABINET SERIES

FEATURES

- **CA DOJ** Firearm Device (excludes KAC552116)
- Holds Long Guns Up To **54" Tall** (excludes KAC552116)
- Tough **Powder-coat** Finish
- **Sturdy, Removable Top Shelf**
- Pre-drilled to **Bolt to Floor or Wall** (Includes Hardware)
- **Padded Gun Barrel Rest** Help Organize Guns and **Prevent Damage** (excludes KAC552116)
- 3 Point Locking System with Double-Bitted **High-Security Keyed Lock**
- **Limited Warranty** (Details in Owner's Manual)
- Unique **Antiqued Finish** (IWSC5521)
- Textured **Black Finish** (KSC552116, KAC552116)

**SECURITY
& FIRE
CATEGORY
1**

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)
IWSC5521	121 lbs	14	55 x 21 x 16	10.7
KSC552116	100 lbs	14	55 x 21 x 16	10.7
KAC552116	100 lbs	N/A	55 x 21 x 16	10.7

TOOL AND STORAGE

We've applied the same attention to detail and hand-built craftsmanship to our Tool Chests and Storage Cabinets as you'll find in our American Made Safes. Rivaling top tier makers, you won't find a more unique and better built product on the market! Visit rhinosafe.com to find out more





★ ★ ★ PART ART, PART FURNITURE, ALL SECURITY ★ ★ ★



RHINO METALS™

VETERAN OWNED AND OPERATED SINCE 1995

Rhino Safe Co., Rhino, Longhorn, Kodiak, Avenger, and Ironworks are registered trademarks of Rhino Metals, Inc.

MANUFACTURED BY RHINO METALS, INC. | RHINOSAFE.COM | (208) 454-5545

607 GARBER STREET. CALDWELL, IDAHO 83605

U.S. PATENT NUMBERS: 6,541,124 . D728,189 . D742,639 . 9,410,355 . 9,140,049



@rhinometals



Rhino Metals, Inc.



Rhino Metals